

We also offer cloud basis network CMS if required ,and you can run the third party Digital Signage software via the Android PC board too.

## **HDMI** input support

If you want use your own player box, this android display can meet your demand via the Full HD HDMI signal Input port as well.

#### **Commercial Grade**

Designed for use in commercial applications this screen can run 24/7. There are no external buttons or controls to avoid tampering.

#### **IPS Panel**

Superior image quality and colour depth at 178° ultra wide viewing angle in both landscape and portrait orientations.

#### **Integrated Castors**

Designed with brake block castors for easy manoeuvrability, once the kiosk is in the position the wheels can locked.

## LED Backlight

Improves brightness and contrast as well as improving their lifespan and reducing their power consumption. Unlike other forms of light this technology is mercury free; making it even more eco-friendly. The panel and backlight have a lifespan in excess of 60,000 hours.



Plug and Play



**HDMI** Input



Android Media



IPS panel



LED Backlight





# **Product Advantages**

### It's the best sale kiosk in digital signage product of the world!

Stylish design, tough tempered glass projection for public application and commercial standard electronics with multi functions can beyond all the demands you need! It's freestanding design and integrated castors, you can use it for any place with any purpose.



## **Product Features**



#### **Tempered Glass Protection**

High light transmittance tempered glass in front of the screen as protection, safety your digital signage player in anywhere.



#### **Intelligent Display**

Supports splitting the screen into multiple windows with different content being reproduced in each of them.



#### **Commercial Grade**

Designed for use in commercial aplications this screen can run 24/7. All connectors have been locked to avoid tampering.




#### **Intergrated Wheels**

Designed with wheels for easy move around, once the kiosk in the position the wheels can be retracted.



#### **Cloud Bases CMS Upgrade**

Player could be upgrade to network CMS if standalone version can't meet your control demand, via network CMS you can manage the player any time in any place with Internet.



#### 4K display Upgrade

Could upgrade to ultra 4K resolution display

# **Specifications**

Model			K522		
Panel	Display Size(inch)		43"	49"	55"
	Backlit Type		E-LED	E-LED	E-LED
	Resolution		3840*2160	3840*2160	3840*2160
	Active Display Area(mm)		941.2(H) x529.4(V)	1073.5(H) x 603.0(V)	1209.6(H) x 680.4(V)
	Aspect Ratio		16:09	16:09	16:09
	Brightness(cd/m2)		500nits	500nits	500nits
	Contrast Ratio(Typ.)		1500:1	1500:1	2000:1
	Viewing Angle(H/V)		178:178	178:178	178:178
	Color		16.7M	16.7M	16.7M
	Response Time(G-to-G)		6ms	6ms	6ms
	Operation Hour		24/7	24/7	24/7
Sound	Audio C	utput	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)	5W, 8Ω (2 sets)
	Туре		Internal	Internal	Internal
Power	Power Supply		AC 100~ 240V (50Hz~60Hz)		
	Power Consumption	Max[W/h]	100	120	150
		Sleep mode	less than 0.5W	less than 0.5W	less than 0.5W
		Off mode	less than 0.5W	less than 0.5W	less than 0.5W
Mechanical Spec	Protectio	n Glass	Yes	Yes	Yes
	Mount Type		Wall mount	Wall mount	Wall mount
Environmental	Operating Temperature		0°C ~ 45°C	0°C ~ 45°C	0°C ~ 45°C
	Storage Temperature		-10°C ~55°C	-10°C ~55°C	-10°C ~55°C
	Operating Humidity		10% ~ 80 %	10% ~ 80 %	10% ~ 80 %
	Storage Humidity		5% ~ 95%	5% ~ 95%	5% ~ 95%
os	Android Media Player	Processor	Rockchip ® RK3288 (1.8GHz, octa core)		
		RAM	2G		
		Memory	Built-in FLASH memory 8G		
		USB	USB2.0 HOST(X2)		
		LAN	10M/100M Ethernet(Network version screen only)		
		External memory	8GB SD card(up to 32G)		
		Multimedia	Video(MPG,AVI,MP4,RM,RMVB,TS),Audio(MP3,WMA),Image(JPG,GIF,BMP,PNG)		
		Media Resolution	3840*2160		
		Wi-Fi	802.11 b/g/n Ethernet (Network version screen only)		
	Operating System		Android 7.1		
Certifi cation	Safety		CE ROHS		
Accessories	Include		Wall mount bracket, Scheduling software, Remote control, Key, Power cable, SD card		
	Quality assurance		1 Year (2-3 years optional)		
	Type of packaging		Carton box /honeycomb box + wooden case		